

# GAMMEX® Non-Latex

S U R G I C A L   G L O V E S

## Neoprene, chemical accelerator-free surgical glove for advanced allergy protection and peace of mind

### KEY FEATURES AND BENEFITS:

- Non-latex and 100% chemical accelerator-free to eliminate the risk of latex Type I and minimize chemical Type IV allergies and skin sensitivities
- Extended cuff length for extra protection
- Anti-slip, smooth external finish for secure instrument handling and grip
- Tested for use with chemotherapy drugs and a wide range of chemicals used in hospitals\*

*\*Contact Ansell Customer Service for specific chemotherapy drug permeation times and recommendations.*

### Recommended For

- Damp donning
- Protection from latex Type I allergy and minimize chemical Type IV allergies in HCW's or patients
- Tested for use with chemotherapy drugs

### FEATURED TECHNOLOGIES

 **A.R.T.**  
Pinhole Barrier Technology

 **DERMASHIELD™**  
Donning Aid Technology



## GAMMEX® Innovation that Protects

Driven by innovation, GAMMEX® surgical gloves are engineered to respond to the evolving user needs of the surgical community. Featuring unique formulations and cutting-edge technologies, ergonomic comfort and superior protection, healthcare workers around the world entrust their hands to ours.

# GAMMEX<sup>®</sup> Non-Latex

## S U R G I C A L   G L O V E S

### PRODUCT INFORMATION

<b>Material</b>	Neoprene (Polychloroprene)
<b>Powder Content</b>	Powder-Free
<b>Color</b>	Green
<b>Thickness</b>	Standard
<b>Cuff Style</b>	Beaded with SUREFIT™ Technology
<b>External Glove Surface</b>	Smooth with Micro-Textured Finish
<b>Internal Glove Surface</b>	Polymer Coated with DERMASHIELD™ Technology
<b>Allergy Prevention</b>	Latex (Type I), Chemical (Type IV)
<b>Grip Level</b>	Moderate
<b>Double Gloving Recommendation</b>	Outer glove or underglove
<b>Tested For Use With Chemotherapy Drugs</b>	Yes, in accordance with ASTM D6978 and US FDA cleared
<b>Freedom from Holes (Inspection level I)</b>	Manufacturing final release: 0.65 (Inspection level GI)
<b>Product Standards</b>	AS/NZS 4179, ASTM D3577, ASTM D6978, ASTM D7160, ASTM F1670, ASTM F739, EN 16523-1, EN 374:2003 Microorganism, EN 374:2003 Low Chemical Resistant, EN 420:2003 + A1:2009, EN 421:2010, EN 455 1-4, EN ISO 374-1:2016, EN ISO 374-5:2016, ISO 10282, JIS T9107
<b>Quality / Environmental Standards</b>	EN556, ISO 11137-Part 1, ISO 13485, ISO 14001, ISO 9001
<b>Packaging</b>	50 pairs per box; 4 boxes per carton/case; 200 pairs per carton/case
<b>Shelf Life</b>	3 years
<b>Storage Instructions</b>	Keep out of direct sunlight; store in a cool and dry place. Keep away from sources of ozone or ignition.
<b>Vulcanization Chemical Accelerators</b>	<ul style="list-style-type: none"> <li>None</li> </ul>