


Mextra[®] Superabsorbent

Superabsorbent dressing with a fluid-repellent backing film


- High fluid retention capacity¹
- Increased fluid absorption capacity²
- Soft and conformable¹
- Protects the peri-wound area¹




How to use Mextra® Superabsorbent



1. Clean the wound area and select a suitable size of Mextra Superabsorbent.



2. Apply Mextra Superabsorbent directly on the wound area with the white side of the dressing onto the wound. For best results, the pad should overlap the dry surrounding skin by at least 2 cm. Mextra Superabsorbent can also be used together with a wound contact layer, such as Mepitel®, Mepitel® One and Mepilex® Transfer.



3. Secure Mextra Superabsorbent with a suitable fixation bandage such as Tubifast® bandage or a fixation tape. It can also be used under a compression bandage where appropriate.

Key benefits of Mextra Superabsorbent

- Minimises the risk of leakage and maceration¹
- Minimises the need for frequent dressing changes¹
- Minimises treatment costs¹
- Maintains structure and integrity without becoming bulky upon exudate absorption¹
- Protects against fluid strike-through¹
- Promotes patient comfort¹
- Has protease modulating properties^{1,3} and provides a conducive environment for healing to proceed

Areas of use

Mextra Superabsorbent is intended for use on moderately to highly exuding wounds. Mextra Superabsorbent absorbs wound exudate through the wound contact layer, retains the exudate within the core and thereby reduces the risk of maceration. The fluid-repellent nonwoven backing acts as an exudate barrier and prevents exudate strike-through.

Frequency of change

The wound and Mextra Superabsorbent should be inspected regularly. The dressing should be changed based on the condition of the wound or before the dressing has become saturated. Mextra Superabsorbent may be left on the wound for a maximum of seven days.



Mextra Superabsorbent assortment (Sterile single packed)

| Art. no | Size cm | Pcs/shelf cont. | Pcs/transp. cont. |
|---------|-------------|-----------------|-------------------|
| 610000 | 12.5 x 12.5 | 10 | 50 |
| 610100 | 12.5 x 17.5 | 10 | 40 |
| 610200 | 12.5 x 22.5 | 10 | 90 |
| 610300 | 17.5 x 22.5 | 10 | 40 |
| 610400 | 22.5 x 27.5 | 10 | 40 |
| 610500 | 22.5 x 32.5 | 10 | 50 |
| 610600 | 22.5 x 42.5 | 10 | 50 |

REFERENCES: 1. Tickle, J., Fletcher, J. Mextra Superabsorbent made easy. Wounds UK 2012; 8(4): 1-4. 2. Mölnlycke Health Care Laboratory report no: PD-522474, 2016 (unpublished). 3. Wiegand, C., Hipler, U.C. In vitro evaluation of MMP binding capacity of a superabsorbent dressing and the reduction of collagenase activity. Poster presentation at European Wound Management Association conference, Copenhagen, Denmark, 2013. 4. Eming, S., Smola, H., Hartmann, B., Malchau, G., Wegner, R., Krieg, T., Smola-Hess, S. The inhibition of matrix metalloproteinase activity in chronic wounds by a polyacrylate superabsorber. Biomaterials 2008; 29(19): 2932-2940

Find out more at www.molnlycke.com.au

Mölnlycke Health Care Pty Ltd, Suite 1.01, 10 Tilley Lane, Frenchs Forest NSW 2086.
Phone 1800 005 231, www.molnlycke.com.au New Zealand Orders & Enquiries 0800 005 231,
www.molnlycke.co.nz The Mölnlycke Health Care, Mextra®, Mepilex®, Mepitel®, and Tubifast®
trademarks, names and respective logos are registered globally to one or more of the Mölnlycke
Health Care Group of Companies. © 2017 Mölnlycke Health Care AB. All rights reserved.
AUWC0125

